



# (timeless collection)


color body porcelain stoneware | rectified |  printing technique



**emperador mocha**

12"x24" Rectified

(timeless collection)



*Classic beauty never goes out of style, and Marazzi's new Timeless Collection provides a fresh take on the perennially popular look of traditional marbles. Retained are the rich color variations, the dramatic veining, the sensuous movement of honed marble.*



The range of color and pattern rivals that of natural Calacatta, Crema Marfil and Emperador, making each installation uniquely random and varied in appearance. Combining this multiplicity of surface designs with the broad range of sizes in rectangular and square formats affords any designer or consumer an outstanding array of options for creating truly unique home or work venues.

A decorative mosaic of small hexagon-shaped segments and a single bullnose trim for all colors complete the offering. Produced in the U.S.A. with minimal maintenance requirements, rectified edges, durability and slip-resistance of color-body porcelain, plus the contribution to LEED credits -- Timeless Collection is a win-win for today's residential and commercial customers.



**calacatta pearl**

Floor - 20"x20" Rectified Wall - 3 1/4"x6 1/2" Rectified



# emperador mocha - marfil cream

20"x20" Rectified



Timeless Collection is created using Marazzi's state-of-the-art 3-d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.


# (timeless collection)



**UK2D** Calacatta Pearl  
20"x20" Rectified




**ULCP** Calacatta Pearl  
18"x36" Rectified



**UK2F** Emperador Mocha  
20"x20" Rectified



**ULCR** Emperador Mocha  
18"x36" Rectified



**UK2K** Calacatta Pearl  
12"x24" Rectified



**UK2A** Calacatta Pearl  
13"x13" Rectified



**UK2N** Calacatta Pearl  
3 1/4"x6 1/2" Rectified




**UK2M** Emperador Mocha  
12"x24" Rectified



**UK2C** Emperador Mocha  
13"x13" Rectified



**UK2R** Emperador Mocha  
3 1/4"x6 1/2" Rectified



**UK2V** Calacatta Pearl  
Mosaic - Hexagon 1 3/4"x1 1/2"  
13"x13"

## Trims



**UK2S** Calacatta Pearl  
Bullnose  
3"x13"



**UK2X** Emperador Mocha  
Mosaic - Hexagon 1 3/4"x1 1/2"  
13"x13"

## Trims



**UK2U** Emperador Mocha  
Bullnose  
3"x13"

## technical

### ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods
Water Absorption	≤ 0.50%	≤ 0.50%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	7	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 416 lbf.	C648
Facial Dimension	-3.0% < Nominal ≤ 2.0%	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (squareness)	+/- 0.25% or +/- 0.8 mm**	Within Standard	C502
Warpage (flatness)	+/- 0.40% or +/- 1.3 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class IV	C1027
DCOF-Dynamic Coefficient of Friction (Wet Areas Only) <sup>†</sup>	As Reported	Minimum 0.42	DCOF AcuTest <sup>SM</sup>
SCOF-Static Coefficient of Friction (Dry)	As Reported	0.80 ≤ S.C.O.F. < 0.90	C1028
SCOF-Static Coefficient of Friction (Wet)	As Reported	0.60 ≤ S.C.O.F. < 0.70	C1028
Chemical Resistance	Class A - Class E	Class A	C650
Stain Resistance	Class A - Class E	Class A	C1378

<sup>†</sup>Dynamic Coefficient of Friction (DCOF) - Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit [www.tcnatile.com](http://www.tcnatile.com) for complete information regarding the DCOF AcuTest method and values.  
<sup>SM</sup>DCOF AcuTest is the industry designation for the test procedure contained in ANSI A137.1 Section 9.6, which has been extensively researched, allows for in-situ field measurements, and is in use at tile manufacturing facilities. It was so named to distinguish it from other DCOF measurements using different instruments and/or protocols.  
 \*\* Whichever is less

- Floor Tile
- Wall Tile
- Modular Tile
- 3d Printing Technique
- Rectified Tile
- Decorative Tile
- Trim Available
- Suitable for Outdoors
- Slight Variation
- Frost Resistant

- IV** Abrasion Resistance
- DCOF** D.C.O.F. (Wet Areas)  
(Minimum 0.42)
- 0.6** S.C.O.F. (Wet)  
(Valid through 12-31-2013)
- 0.8** S.C.O.F. (Dry)  
(Valid through 12-31-2013)
- 21%** Minimum Pre-Consumer Recycled Content
- VOC** No VOC
- U.S. GREEN BUILDING COUNCIL** MEMBER
- Contributes to LEED Credits**
- made in the USA**



**UK2E** Marfil Cream  
20"x20" Rectified



**ULCQ** Marfil Cream  
18"x36" Rectified



**UK2L** Marfil Cream  
12"x24" Rectified



**UK2B** Marfil Cream  
13"x13" Rectified



**UK2P** Marfil Cream  
3/4"x6 1/2" Rectified



**UK2W** Marfil Cream  
Mosaic - Hexagon 1 3/4"x1 1/2"  
13"x13"

**Trims**




**UK2T** Marfil Cream  
Bullnose  
3"x13"




**marfil cream**

13"x13" Rectified

**packaging**

	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Modular Tile	3/4"x6 1/2" R	72	10.22	42	0.334
Modular Tile	13"x13" R	15	17.43	67	0.334
Floor Tile	12"x24" R	5	9.51	50	0.433
Floor Tile	20"x20" R	6	15.96	79	0.433
Floor Tile	18"x36" R	3	12.90	63	0.394
Mosaic - Hexagon 1 3/4"x1 1/2"	13"x13"	10		39	Compatible
Insert	2"x2"	8		1	Compatible
Insert	1"x1"	10		1	Compatible
Listelli	1"x13"	10		4	Compatible
Pencil Liner	1/2"x13"	10		3	Compatible
Chair Rail	1 1/2"x13"	10		8	Compatible
Random Mosaic	12"x12"	10		13	Compatible
Bullnose	3"x13"	20		21	Compatible

	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Modular Tile	3/4"x6 1/2" R	51	521.22	2142
Modular Tile	13"x13" R	38	662.34	2546
Floor Tile	12"x24" R	40	380.40	2000
Floor Tile	20"x20" R	24	383.04	1896
Floor Tile	18"x36" R	33	425.70	2134



American Marazzi Tile, Inc.  
Headquarters & Manufacturing Plant

359 Clay Road East  
Sunnyvale, Texas 75182

T 972.226.0110  
F 972.226.5629  
[www.marazzitile.com](http://www.marazzitile.com)  
[contact@marazzitile.com](mailto:contact@marazzitile.com)



Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.