

ARCHITECTURAL
TILE SOLUTIONS


NEUTRALS



MARAZZI  USA

SystemN

Unglazed Double-Loaded Porcelain Stoneware
Rectified





SystemN

UNGLAZED DOUBLE LOADED PORCELAIN STONEWARE | RECTIFIED



Floor: Nero_N 24"x24" Wall: Bianco Puro_N 12"x24", Bianco_N 12"x24", Fango_N 12"x24, Grigio Chiaro_N 12"x24", Grigio Medio_N 12"x24", Grigio Scuro_N 12"x24", Sabbia_N 12"x24", Tortora_N 12"x24"

Sublime appearance and top performance distinguish the unglazed double-loaded porcelain stoneware that is SistemN. The nine color palette is comprised of soft waves of neutrals, gently ranging in gradation from warm to cool. Just the right amount of color in gradually intensifying shades permit designers or owners to achieve the perfectly personalized style effect desired. Just the slightest hint of surface pattern keeps the eye moving, seeing the installation differently at different times of the day or season.

Three surface textures ranging from Polished to Matte to Rock heighten the visual excitement when used together in floor/wall, inside/outside, public/private projects. Seamless segues from one space to the next are easy.



Grigio Scuro_N 24"x24"

Finishes


- Matte
- Polished
- Rock

Sizes

- 4"x24" Rectified
- 6"x24" Rectified
- 12"x24" Rectified
- 24"x24" Rectified

Trims

- Bullnose
- Cove Base
- Cove Base In Angle
- Cove Base Out Angle



size options

large | format




Grigio Scuro_N 24"x24" Rectified
Available in Matte, Polished and Rock Finish



Grigio Scuro_N 12"x24" Rectified
Available in Matte and Rock Finish

color palette
neutral | shades



Bianco Puro_N



Bianco_N



Grigio Chiaro_N



Grigio Medio_N



Grigio Scuro_N



Nero_N



Sabbia_N



Tortora_N



Fango_N




Tortora_N 24"x24"

size options


large format | decos | rectified




M7Q8 Bianco Puro_N
24"x24" Matte Rectified
MJ00 Bianco Puro_N
24"x24" Polished Rectified



M829 Bianco Puro_N
12"x24" Matte Rectified



M7Q9 Bianco_N
24"x24" Matte Rectified
MJ01 Bianco_N
24"x24" Polished Rectified
M85G Bianco_N
24"x24" Rock Rectified



M83A Bianco_N
12"x24" Matte Rectified
M83Y Bianco_N
12"x24" Rock Rectified



M824 Fango_N
24"x24" Matte Rectified
MJ04 Fango_N
24"x24" Polished Rectified




M83E Fango_N
12"x24" Matte Rectified



M920 Bianco Puro_N
6"x24" Matte Rectified




M92Z Bianco Puro_N
4"x24" Matte Rectified



M838 Bianco_N
6"x24" Matte Rectified
M84K Bianco_N
6"x24" Rock Rectified



M833 Bianco_N
4"x24" Matte Rectified
M84E Bianco_N
4"x24" Rock Rectified



M924 Fango_N
6"x24" Matte Rectified



M923 Fango_N
4"x24" Matte Rectified



M825 Grigio Chiaro_N
24"x24" Matte Rectified
MJ05 Grigio Chiaro_N
24"x24" Polished Rectified
M85J Grigio Chiaro_N
24"x24" Rock Rectified



M83F Grigio Chiaro_N
12"x24" Matte Rectified
M830 Grigio Chiaro_N
12"x24" Rock Rectified



M826 Grigio Medio_N
24"x24" Matte Rectified
MJ06 Grigio Medio_N
24"x24" Polished Rectified



M83G Grigio Medio_N
12"x24" Matte Rectified



M827 Grigio Scuro_N
24"x24" Matte Rectified
MJ07 Grigio Scuro_N
24"x24" Polished Rectified
M92V Grigio Scuro_N
24"x24" Rock Rectified



M83H Grigio Scuro_N
12"x24" Matte Rectified
M831 Grigio Scuro_N
12"x24" Rock Rectified



M84A Grigio Chiaro_N
6"x24" Matte Rectified
M84M Grigio Chiaro_N
6"x24" Rock Rectified



M835 Grigio Chiaro_N
4"x24" Matte Rectified
M84G Grigio Chiaro_N
4"x24" Rock Rectified



M926 Grigio Medio_N
6"x24" Matte Rectified



M925 Grigio Medio_N
4"x24" Matte Rectified




M84C Grigio Scuro_N
6"x24" Matte Rectified
M84N Grigio Scuro_N
6"x24" Rock Rectified



M836 Grigio Scuro_N
4"x24" Matte Rectified
M84H Grigio Scuro_N
4"x24" Rock Rectified

SPECIAL ORDER (Please contact your Marazzi Architectural Customer Service Representative for more details. Minimum quantities may apply.)



M828 Nero_N
24"x24" Matte Rectified
MJ08 Nero_N
24"x24" Polished Rectified

M83J Nero_N
12"x24" Matte Rectified

M7RA Sabbia_N
24"x24" Matte Rectified
MJ02 Sabbia_N
24"x24" Polished Rectified
M85H Sabbia_N
24"x24" Rock Rectified

M83C Sabbia_N
12"x24" Matte Rectified
M83Z Sabbia_N
12"x24" Rock Rectified

M7RC Tortora_N
24"x24" Matte Rectified
MJ03 Tortora_N
24"x24" Polished Rectified

M83D Tortora_N
12"x24" Matte Rectified



M84D Nero_N
6"x24" Matte Rectified
M84P Nero_N
6"x24" Rock Rectified

M837 Nero_N
4"x24" Matte Rectified
M84J Nero_N
4"x24" Rock Rectified

M839 Sabbia_N
6"x24" Matte Rectified
M84L Sabbia_N
6"x24" Rock Rectified

M834 Sabbia_N
4"x24" Matte Rectified
M84F Sabbia_N
4"x24" Rock Rectified

M922 Tortora_N
6"x24" Matte Rectified

M921 Tortora_N
4"x24" Matte Rectified

TRIMS



M841 Bianco Puro_N
M842 Bianco_N
M845 Fango_N
M846 Grigio Chiaro_N
M847 Grigio Medio_N
M848 Grigio Scuro_N
M849 Nero_N
M843 Sabbia_N
M844 Tortora_N
3"x24" Matte Bullnose

UK7P Bianco Puro_N
UK7R Fango_N
UK7S Grigio Chiaro_N
UK7U Grigio Scuro_N
UK7V Nero_N
UK7W Sabbia_N
6"x12" Cove Base

UK7Z Bianco Puro_N
UK83 Fango_N
UK84 Grigio Chiaro_N
UK86 Grigio Scuro_N
UK87 Nero_N
UK88 Sabbia_N
1"x6" Cove Base In Angle

UK8A Bianco Puro_N
UK8C Fango_N
UK8D Grigio Chiaro_N
UK8F Grigio Scuro_N
UK8G Nero_N
UK8H Sabbia_N
1"x6" Cove Base Out Angle

surface options

matte | polished | rock



Matte



Polished



Rock



Color Name	FLOOR TILE**									TRIMS*			
	4"x24" Matte Rectified	4"x24" Rock Rectified	6"x24" Matte Rectified	6"x24" Rock Rectified	12"x24" Matte Rectified	12"x24" Rock Rectified	24"x24" Matte Rectified	24"x24" Polished Rectified	24"x24" Rock Rectified	3"x24" Matte Bullnose	6"x12" Cove Base	1"x6" Cove Base In Angle	1"x6" Cove Base Out Angle
Bianco Puro_N	M9ZZ		M9Z0		M829		M7Q8	MJ00		M841	UK7P	UK7Z	UK8A
Bianco_N	M833	M84E	M838	M84K	M83A	M83Y	M7Q9	MJ01	M85G	M842			
Fango_N	M9Z3		M9Z4		M83E		M824	MJ04		M845	UK7R	UK83	UK8C
Grigio Chiaro_N	M835	M84G	M84A	M84M	M83F	M830	M825	MJ05	M85J	M846	UK7S	UK84	UK8D
Grigio Medio_N	M9Z5		M9Z6		M83G		M826	MJ06		M847			
Grigio Scuro_N	M836	M84H	M84C	M84N	M83H	M831	M827	MJ07	M9ZV	M848	UK7U	UK86	UK8F
Nero_N	M837	M84J	M84D	M84P	M83J	M832	M828	MJ08	M9ZW	M849	UK7V	UK87	UK8G
Sabbia_N	M834	M84F	M839	M84L	M83C	M83Z	M7RA	MJ02	M85H	M843	UK7W	UK88	UK8H
Tortora_N	M9Z1		M9Z2		M83D		M7RC	MJ03		M844			

*Available in Matte finish, used for all finishes

** Due to size fluctuation, all measurements given are nominal. Where strict accuracy is required, please refer to actual tile samples.

SPECIAL ORDER (Please contact your Marazzi Architectural Customer Service Representative for more details. Minimum quantities may apply.)

 Floor Tile	 Wall Tile	 Rectified Tile	 Trim Available	 Suitable for Outdoors	 Uniform Variation	 Frost Resistant	 Meets ADA Recommendations (excluding polished surface)	 Abrasion Resistance	 C.O.F. (Dry)	 C.O.F. (Wet) Polished Surface	 C.O.F. (Wet) Matte and Rock Surfaces	 Pre-Consumer Recycled Content Varies by Color (Maximum 45%)	 No VOC
--	--	--	--	---	---	---	--	---	--	---	--	---	--



Contributes to LEED Credits



Grigio Medio_N 12"x24" - 6"x24" - 4"x24"


ASTM Test Results


Technical Characteristics	ASTM Standards	ASTM Test Results Matte	ASTM Test Results Rock	ASTM Test Results Polished	ASTM Test Methods
Water Absorption	≤0.50%	≤0.50%	≤0.50%	≤0.50%	C 373
Frost Resistance	As Reported	Resistant	Resistant	Resistant	C 1026
Scratch Resistance	MOHS 1-10	6	7.5	6	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 1157 lbf.	≥ 981 lbf.	≥ 818 lbf.	C 648
Facial Dimension	-3.0% < Nominal ≤ 2.0%	Within Standard	Within Standard	Within Standard	C 499
Nominal Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	Within Standard	Within Standard	C 499
Wedging (squareness)	≤ 0.25% or +/- 0.8mm **	Within Standard	Within Standard	Within Standard	C 502
Warpage Edge (flatness)	≤ 0.40% or +/- 1.8mm **	Within Standard	Within Standard	Within Standard	C 485
Abrasion Resistance	Class 0 - Class V	Class IV*	Class IV*	Class IV*	C 1027
Dry Coefficient of Friction	As Reported	0.80 ≤ C.O.F. < 0.90	0.80 ≤ C.O.F. < 0.90	0.80 ≤ C.O.F. < 0.90	C 1028
Wet Coefficient of Friction	As Reported	0.60 ≤ C.O.F. < 0.70	0.60 ≤ C.O.F. < 0.70	0.50 ≤ C.O.F. < 0.60***	C 1028
Chemical Resistance	Class A - Class E	Class B	Class A	Class B	C 650
Stain Resistance	Class A - Class E	Class B	Class A	Class B	C 1378

* Abrasion Resistance / Suggested Applications

Class IV: Tile in this class may withstand heavier amounts of traffic with greater amounts of dirt and/or other abrasives present, including commercial kitchens and areas with regular traffic from the outside. See Coefficient of Friction and Frost Resistance for installation-specific details.

** Whichever is less *** Wet C.O.F. less than 0.60. Check local building codes for C.O.F. compliance prior to installation.

	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Floor Tile Matte and Rock	4" x 24" R	13	8.40	44	11.0 mm
Floor Tile Matte and Rock	6" x 24" R	8	7.75	40	11.0 mm
Floor Tile Matte and Rock	12" x 24" R	5	9.69	50	11.0 mm
Floor Tile Matte and Rock	24" x 24" R	4	11.63	79	11.0 mm
Floor Tile Polished	24" x 24" R	4	11.63	79	10.0 mm
Cove Base	6" x 12"	12		26	Compatible
Cove Base In Angle	1" x 6"	6		2	Compatible
Cove Base Out Angle	1" x 6"	6		2	Compatible
Bullnose	3" x 24"	13		29	Compatible

	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Floor Tile Matte and Rock	4" x 24" R	45	378.55	1980
Floor Tile Matte and Rock	6" x 24" R	64	496.00	2560
Floor Tile Matte and Rock	12" x 24" R	48	465.12	2400
Floor Tile Matte, Rock and Polished	24" x 24" R	30	465.00	2370

MARAZZI  USA



American Marazzi Tile, Inc.
Headquarters & Manufacturing Plant

Telephone
800.820.8453
Fax
972.226.5629

359 Clay Road
Sunnyvale, Texas 75182

marazziarchitectural.com
contact@marazzitile.com

SISTEMN is available nationwide.
To locate your nearest Distributor call
Marazzi Architectural Customer Service
or visit www.marazziarchitectural.com

DISTRIBUTED BY:

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with Marazzi Architectural Customer Service for details.