



(silk)

glazed porcelain stoneware |  printing technique



sophisticated

20"x20" - 18"x36"



Marazzi's luxurious Silk reveals the true beauty of ancient, vein-cut travertine in a modern-day glazed porcelain that meets the needs of residential and commercial installations. 3d digital print technique reproduces the striations and mineral deposits found in natural travertine in this multi-sized, intricately colored line that is complemented with mosaic and decorative trim options.



Artistry and technology combine, producing intricate veining variations in three sophisticated color ways that define the line. Free-flowing shades of white (Elegant), beige (Sophisticated) and dark noce (Distinguished) create incredible movement and add textural appeal to decors ranging from contemporary to cottage, sophisticated to sensible.

Throw an expansive size range into the mix (particularly expansive in the new 18"x36" size), and Silk becomes even more adaptive. Two rectangular sizes – 12"x24" and 18"x36" – are joined by a square 20"x20" module. Multiple mesh-mounted mosaics and listelli further accessorize the series: a versatile 2"x2" mesh-mounted mosaic is available in all colors while a stacked mosaic features all colors in a 12"x12" module; one listelli combines all colors in an offset of little square and rectangular pieces whereas the other mixes thin strips of all colors with fawn metallic glass dots. Rounding out the series are cove base, cove base angles and single bullnose trim that add the final touches to a well-dressed room.



elegant
12"x24" - 12"x12" Mixed Mosaic



(silk)



Distinguished



ULBP Distinguished
18"x36"



ULBL Distinguished
12"x24"



ULBS Distinguished
20"x20"



ULEW Distinguished
Mosaic - Square 2"x2"
12"x12"

Trims Available



ULBV Distinguished
4"x24" Bullnose



ULC6 Distinguished
6"x12" Cove Base



ULBY Distinguished
1"x6" Cove Base
In Angle



ULC3 Distinguished
1"x6" Cove Base
Out Angle



Elegant



ULBM Elegant
18"x36"



ULBJ Elegant
12"x24"



ULBQ Elegant
20"x20"



ULEU Elegant
Mosaic - Square 2"x2"
12"x12"



ULBT Elegant
4"x24" Bullnose



ULC4 Elegant
6"x12" Cove Base



ULBW Elegant
1"x6" Cove Base
In Angle



ULBZ Elegant
1"x6" Cove Base
Out Angle

technical

ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods
Water Absorption	≤ 0.50%	≤ 0.50%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	6.5	MOHS Scale
Breaking Strength	≥ 250 lbf.	≥ 502 lbf.	C648
Facial Dimension	-3.0% < Nominal ≤ 3.0%	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (squareness)	+/- 0.50% or +/- 2.0 mm**	Within Standard	C502
Warpage (flatness)	+/- 0.75% or +/- 2.3 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class IV*	C1027
Dry Coefficient of Friction	As Reported	0.80 ≤ C.O.F. < 0.90	C1028
Wet Coefficient of Friction	As Reported	0.60 ≤ C.O.F. < 0.70	C1028
Chemical Resistance	Class A - Class E	Class B	C650
Stain Resistance	Class A - Class E	Class A	C1378

* Abrasion Resistance / Suggested Applications
Class IV: Tile in this class may withstand heavier amounts of traffic with greater amounts of dirt and/or other abrasives present, including commercial kitchens, and areas with regular traffic from the outside. See Coefficient of Friction and Frost Resistance for installation-specific details.
** Whichever is less



Floor Tile



Wall Tile



3d Printing
Technique



Decorative Tile



Trim Available



Suitable for Outdoors



Moderate Variation



Frost Resistant



Meets ADA Recommendations



IV Abrasion Resistance



0.6 C.O.F. (Wet)



0.6 C.O.F. (Dry)



21% Minimum Pre-Consumer
Recycled Content



Certified No VOC



Contributes to
LEED Credits



Sophisticated



ULBN Sophisticated
18"x36"



ULBK Sophisticated
12"x24"



ULBR Sophisticated
20"x20"



ULEV Sophisticated
Mosaic - Square 2"x2"
12"x12"



ULBU Sophisticated
4"x24" Bullnose



ULC5 Sophisticated
6"x12" Cove Base




ULBX Sophisticated
1"x6" Cove
Base In Angle



ULC2 Sophisticated
1"x6" Cove Base
Out Angle

Decorative Options



ULEB Silk
Mixed Liner
5/8"x12"





ULEE Silk
Mixed Listelli
2"x12"



ULE8 Silk
Mixed Mosaic
12"x12"

packaging

	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Floor Tile	20"x20"	6	16.15	82	0.394
Floor Tile	12"x24"	6	11.63	57	0.394
Floor Tile	18"x36"	3	13.44	63	0.394
Liner	5/8"x12"	9		3	Compatible
Listelli	2"x12"	6		4	Compatible
Mosaic - Square 2"x2"	12"x12"	10		39	Compatible
Mosaic - Mix	12"x12"	10		39	Compatible
Bullnose	4"x 24"	15		47	Compatible
Cove Base	6"x12"	12		26	Compatible
Cove Base In Angle	1"x6"	6		2	Compatible
Cove Base Out Angle	1"x6"	6		2	Compatible

	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Floor Tile	20"x20"	24	387.60	1964
Floor Tile	12"x24"	40	465.20	2324
Floor Tile	18"x36"	39	524.16	2512



American Marazzi Tile, Inc.
Headquarters & Manufacturing Plant

359 Clay Road
Sunnyvale, Texas 75182

T 972.226.0110
F 972.226.5629
www.marazzitile.com
contact@marazzitile.com



Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.